

DSM -IV

Criteria for Autism

299.00 Autistic Disorder

A. A total of six (or more) items from (1), (2), and (3), with at least two from (1), and one each from (2) and (3):

(1) qualitative impairment in social interaction, as manifested by at least two of the following:

(a) marked impairment in the use of multiple nonverbal behaviors, such as eye-to-eye gaze, facial expression, body postures, and gestures to regulate social interaction

(b) failure to develop peer relationships appropriate to developmental level

(c) a lack of spontaneous seeking to share enjoyment, interests, or achievements with other people (e.g., by a lack of showing, bringing, or pointing out objects of interest)

(d) lack of social or emotional reciprocity

(2) qualitative impairments in communication, as manifested by at least one of the following:

(a) delay in, or total lack of, the development of spoken language (not accompanied by an attempt to compensate through alternative modes of communication such as gesture or mime)

(b) in individuals with adequate speech, marked impairment in the ability to initiate or sustain a conversation with others

(c) stereotyped and repetitive use of language or idiosyncratic language

(d) lack of varied, spontaneous make-believe play or social imitative play appropriate to developmental level

(3) restricted, repetitive, and stereotyped patterns of behavior, interests, and activities as manifested by at least one of the following:

(a) encompassing preoccupation with one or more stereotyped and restricted patterns of interest that is abnormal either in intensity or focus

(b) apparently inflexible adherence to specific, nonfunctional routines or rituals

(c) stereotyped and repetitive motor mannerisms (e.g., hand or finger flapping or twisting or complex whole-body movements)

(d) persistent preoccupation with parts of objects

B. Delays or abnormal functioning in at least one of the following areas, with onset prior to age 3 years:

(1) social interaction,

(2) language as used in social communication, or

(3) symbolic or imaginative play.

C. The disturbance is not better accounted for by Rett's disorder or childhood disintegrative disorder.

299.80 Pervasive Developmental Disorder, Not Otherwise Specified

This category should be used when there is a severe and pervasive impairment in the development of reciprocal social interaction or verbal and nonverbal communication skills, or when stereotyped behavior, interests, and activities are present, but the criteria are not met for a specific pervasive developmental disorder, schizophrenia, schizotypal personality disorder, or avoidant personality disorder. For example, this category includes "atypical autism" –presentations that do not meet the criteria for autistic disorder because of late age of onset, atypical symptomatology, or subthreshold symptomatology, or all of these.



299.80 Asperger's Disorder

A. Qualitative impairment in social interaction, as manifested by at least two of the following:

- (1) marked impairment in the use of multiple nonverbal behaviors, such as eye-to-eye gaze, facial expression, body postures, and gestures to regulate social interaction
- (2) failure to develop peer relationships appropriate to developmental level
- (3) a lack of spontaneous seeking to share enjoyment, interests, or achievements with other people (e.g., by a lack of showing, bringing, or pointing out objects of interest to other people)
- (4) lack of social or emotional reciprocity

B. Restricted, repetitive, and stereotyped patterns of behavior, interests, and activities, as manifested by at least one of the following:

- (1) encompassing preoccupation with one or more stereotyped and restricted patterns of interest that is abnormal either in intensity or focus
- (2) apparently inflexible adherence to specific, nonfunctional routines or rituals
- (3) stereotyped and repetitive motor mannerisms (e.g., hand or finger flapping or twisting, or complex whole-body movements)
- (4) persistent preoccupation with parts of objects

C. The disturbance causes clinically significant impairment in social, occupational, or other important areas of functioning.

D. There is no clinically significant general delay in language (e.g., single words used by age 2 years, communicative phrases used by age 3 years).

E. There is no clinically significant delay in cognitive development or in the development of age-appropriate self-help skills, adaptive behavior (other than in social interaction), and curiosity about the environment in childhood.

F. Criteria are not met for another specific pervasive developmental disorder or schizophrenia.

299.80 Rett's Disorder

A. All of the following:

(1) apparently normal prenatal and perinatal development

(2) apparently normal psychomotor development through the first 5 months after birth

(3) normal head circumference at birth

B. Onset of all of the following after the period of normal development:

(1) deceleration of head growth between ages 5 and 48 months

(2) loss of previously acquired purposeful hand skills between ages 5 and 30 months with the subsequent development of stereotyped hand movements (i.e., hand-wringing or hand washing)

(3) loss of social engagement early in the course (although often social interaction develops later)

(4) appearance of poorly coordinated gait or trunk movements

(5) severely impaired expressive and receptive language development with severe psychomotor retardation

299.10 Childhood Disintegrative Disorder

A. Apparently normal development for at least the first 2 years after birth as manifested by the presence of age-appropriate verbal and nonverbal communication, social relationships, play, and adaptive behavior.

B. Clinically significant loss of previously acquired skills (before age 10 years) in at least two of the following areas:

- (1) expressive or receptive language
- (2) social skills or adaptive behavior
- (3) bowel or bladder control
- (4) play
- (5) motor skills

C. Abnormalities of functioning in at least two of the following areas:

- (1) qualitative impairment in social interaction (e.g., impairment in nonverbal behaviors, failure to develop peer relationships, lack of social or emotional reciprocity)
- (2) qualitative impairments in communication (e.g., delay or lack of spoken language, inability to initiate or sustain a conversation, stereotyped and repetitive use of language, lack of varied make-believe play)
- (3) restricted, repetitive, and stereotyped patterns of behavior, interests, and activities, including motor stereotypies and mannerisms

D. The disturbance is not better accounted for by another specific pervasive developmental disorder or by schizophrenia.

List of Commonly Used Acronyms (Autism Alphabet Soup)

The Alphabet Soup of Special Education can make it difficult for a parent to understand the process. Here are the most commonly used acronyms:

AC = Augmentative Communication

ABA = Applied Behavior Analysis – a research-based approach to treatment

ABIX = Area Board IX for Developmental Disabilities

ADA = Americans With Disabilities Act – legislation that can help you get services

ADD = Attention Deficit Disorder – have a hard time staying on task

ADHD = Attention Deficit Hyperactivity Disorder – excess physical activity and difficulty staying on task

AHA = American Hyperlexia Association

AIT = Auditory Integration Therapy

ARC = Association for Retarded Citizens – 50 year old organization for people with disabilities and their families

APD = Auditory Processing Disorder

AS = Asperger's Syndrome – a type of high-functioning autism

ASA = Autism Society of America – National organization

ASASB = Autism Society of America, Santa Barbara Chapter – local chapter

ASD = Autism Spectrum Disorder – a type of brain dysfunction

ASHA = American Speech – Language Hearing Assoc.

ASL = American Sign Language – communicate with your hands, not words

AT = Assistive Technology – devices that help you, like keyboards or wheelchairs

CAN = Cure Autism Now – an organization dedicated to finding a cure for autism

CAPD = Central Auditory Processing Disorder

CDD = Childhood Disintegrative Disorder

CP = Cerebral Palsy

DANI = Defeat Autism Now! – a project that focuses on biomedical research and treatment

DD = Developmentally Disabled or Developmentally Delayed – not meeting all the typical milestones

DDS = Department of Developmental Services

DIR = Developmental/Individual Differences/Relationship-based Approach

(also known as Floortime or Greenspan Model)

DIS = Designated Instructional Service

DOB = Date of Birth

DS = Down Syndrome

DSI = Dysfunction of Sensory Integration - another acronym for SID

DTT = Discrete Trial Teaching – a type of teaching technique used in ABA.

DX = Diagnosis or Disorder – what the specialist says you have

ECSE = Early Childhood Special Education

EFA = Essential Fatty Acids – parts of our food that help us think

EBD = Emotional and Behavioral Disorder

EI = Early Intervention (also Early Start) – therapies provided to children under 3 years old

ENT = Ear, Nose and Throat

ESY = Extended School Year – school programming during the summer break

FAPE = Free Appropriate Public Education

FC = Facilitated Communication

FRAXA = Fragile X Syndrome

GAD = Generalized Anxiety Disorder

GDD = Global Developmental Delays

GF/CF = Gluten-Free/Casein-Free diet (wheat and dairy)

HFA = High Functioning Autism – can talk, get dressed, etc., but not good socially

HI = Hearing Impaired

HOH = Hard Of Hearing

ID = Intellectual Disability – hard time figuring things out

IDEA = Individuals With Disabilities Education Act
– legislation that can get you services

IEP = Individualized Education Program – plan for what services or accommodations your child will receive

IFSP = Individualized Family Service Plan

IQ = Intelligence Quotient – how well you did on a standardized test

LD = Learning Disability

LEA = Local Education Agency (usually the school district)

LEAP = Learning Enrichment Autism Program

LFA = Low Functioning Autism – needs lots of help to get by

LKS = Landau-Kleffner Syndrome - a form of aphasia with seizure-like activity

LRE = Least Restrictive Environment – give the child the most freedom possible

MBD = Minimal Brain Dysfunction (another name AD(H)D has been known by)

MD = Muscular Dystrophy

MH = Multiply Handicapped – more than one diagnosis or disorder

MR = Mental Retardation

MRI = Magnetic Resonance Imaging – a way to scan the brain to see activity

NICU = Neonatal Intensive Care Unit – hospital department for very sick newborn babies

NLD = Nonverbal Learning Disability

NT = Neurologically Typical (developing normally)

O2 = Oxygen

OCD = Obsessive-Compulsive Disorder – can't stop certain behaviors

ODD = Oppositional Defiant Disorder

OHI = Other Health Impairment

OI = Orthopedic Impairment

OT = Occupational Therapy or Occupational Therapist

PAI = Protection and Advocacy, Inc. (free legal advocacy service provided by the State)

PDD = Pervasive Developmental Disorders (the category of disorders encompassing autism)

PDD-NOS = Pervasive Developmental Disorder Not Otherwise Specified

PECS = Picture Exchange Communication System

PICU = Pediatric Intensive care Unit

PRT = Pivotal Response Treatment – works on improving “pivotal behaviors” like motivation

PT = Physical Therapy or Physical Therapist

PTSD = Post Traumatic Stress Disorder – aftermath of a frightening experience

RDI = Relationship Development Intervention

RTI = Response to Intervention

SBCEO = Santa Barbara County Education Office

SC = Service Coordinator (case mgr from TCRC)

SI = Sensory Integration – therapies that help balance and sensitivities

SID = Sensory Integration Dysfunction

SLD = Specific Learning Disability

SLI = Speech/Language Impairment

SLP = Speech Language Pathologist

SPD = Semantic-Pragmatic Disorder

SPED = Special Education

SSA = Social Security Administration

SSD = Social Security Disability

SSI = Supplemental Security Income

ST = Speech Therapy

TBI = Traumatic Brain Injury

TCRC = Tri-Counties Regional Center – local distributor of services for people with developmental disabilities

TEACCH = Treatment and Education of Autistic and Related Communication Handicapped Children

TS = Tourette Syndrome – blurt out phrases, involuntary tics

TX = Treatment or Therapy

UA = Unlocking Autism

UCP = United Cerebral Palsy Association

VI = Visual Impairment – can’t see very well



Autism

Society

of America

Santa

Barbara

Acknowledgments

This project has long been the dream of the Board of ASASB. As parents of children on the autism spectrum ourselves, our desire has been to create and distribute the type of information packet that we wish had been given to us when our own children were first diagnosed.

It is our sincere hope that we have met that goal.

No project of this scope comes to completion without a great deal of support from a variety of sources.

Primary funding has come from the Autism Society of America, National Office, with additional grant support from First 5 Santa Barbara County. Printing costs have been underwritten substantially by Santa Barbara Helping Hands. We also wish to thank our tireless office administrators, Wendy Kelly and Vivien Gatpandan, and the many parent and professional readers who offered both encouragement and fine editorial oversight.

Special thanks to Lisa Ackerman of Talk About Curing Autism (TACA) for her willingness to share information and resources. Source material for this guide is derived from TACA, Autism Society of America, Coachella Valley Chapter, Autism Society of America, National Office, Tri-Counties Regional Center, and Santa Barbara County Education Office. Endless thanks to Chris Giles for his final editing and proofreading work, and to Dinorah Isis Molina for translating the entire project into Spanish.

All photographs courtesy of Brad Elliott Photography. Many thanks to Maren Lambe Design, and Boone printing.



**Autism Society of America,
Santa Barbara**
www.asasb.org

P. O. Box 30364
Santa Barbara, CA 93130-0364
(805) 560-3762
info@asasb.org

Autism and Your Child: A Guidebook for Parents



El Autismo y Su Niño: Una Guía para Los Padres



Santa Barbara Autism Community
Comprehensive Education and
Support Service (ACCESS)

Educación Compresiva y Servicio de
Apoyo para la Comunidad
de Autismo en
Santa Barbara (ACCESO)



**ASA**
Autism Society of America.

ASASB Board of Directors

during the development of ACCESS:

Marcia Eichelberger, Patti Gaultney, Maria Sherlock,
Sandy Shove, and Nancy Speer.

This project is dedicated to Jared, Wesley, Jack, David,
Ben, and Devin, and to their many peers. Your mothers
are very, very proud of you.

**Autism Society of America,
Santa Barbara**

www.asasb.org

**P. O. Box 30364
Santa Barbara, CA 93130-0364
(805) 560-3762
info@asasb.org**